ONV®

COMMERCIAL
ETHERNET SWITCH

20+ Years POE Switch Factory



Optical Network Video Technologies （Shenzhen）Co.,Ltd

COMMERCIAL ETHERNET SWITCH

Product Overview

Commercial-grade Ethernet switches are network access devices specifically designed for indoor business environments such as corporate offices, shopping malls, schools, hotels, and similar commercial spaces. They deliver both data transmission and power over standard Ethernet cabling (Power over ethernet – PoE), providing stable and reliable network connectivity and power supply to end devices including wireless access points (APs), IP cameras, VoIP phones, and more.

PoE Ports | SFP Ports | Plug and Play | -20~+55℃



ECONOMIC CHANNEL SWITCH

- 4kV Lightning Protection, IP30 Rating

Picture	Model Parameter	Picture	Model Parameter
	ONV-H1054PEBS Watchdog • 4*10/100Base-TX PoE Ports • 1*10/100Base-TX RJ45 Port • Forwarding Rate: 0.74Mpps • Switching Capacity: 1Gbps • Watchdog Function		ONV-H1108PEBS Watchdog • 8*10/100Base-TX PoE Ports • 2*10/100Base-TX RJ45 Ports • Forwarding Rate: 1.488Mpps • Switching Capacity: 2Gbps • Watchdog Function
	ONV-H3054PEBS Watchdog • 4*10/100/1000Base-T PoE Ports • 1*100/1000Base-T RJ45 Port • Forwarding Rate: 7.44Mpps • Switching Capacity: 10Gbps • Watchdog Function		ONV-H1108PGEBS Watchdog • 8*10/100Base-TX PoE Ports • 2*10/100/1000Base-T RJ45 Ports • Forwarding Rate: 4.17Mpps • Switching Capacity: 10Gbps • Watchdog Function
	ONV-H1108PFD Watchdog • 8*10/100Base-TX PoE Ports • 2*10/100/1000Base-T RJ45 Ports • 1*1000Base-X SFP Port • Forwarding Rate: 5.65Mpps • Switching Capacity: 12Gbps		ONV-H3054PFD Watchdog • 4*10/100/1000Base-T PoE Ports • 1*10/100/1000Base-T RJ45 Port • 1*1000Base-X SFP Port • Forwarding Rate: 8.93Mpps • Switching Capacity: 12Gbps
	ONV-H3064P/ONV-H3064PS • 4*10/100/1000Base-T PoE Ports • 2*10/100/1000Base-T RJ45 Ports • Forwarding Rate: 8.93Mpps • Switching Capacity: 12Gbps • Automatically Detect and Recognize the Power-receiving		ONV-H3064PFD Watchdog • 4*10/100/1000Base-T PoE Ports • 2*10/100/1000Base-T RJ45 Ports + 1*1000Base-X SFP Port • Forwarding Rate: 10.42Mpps • Switching Capacity: 14Gbps • Watchdog Function
	ONV-H3108PFS/ONV-H3108PF • 8*10/100/1000Base-T PoE Ports • 2*1000Base-X SFP Ports • Forwarding Rate: 14.88Mpps • Switching Capacity: 20Gbps • Automatically Detect and Recognize the Power-receiving		ONV-H3108PFD Watchdog • 10*10/100/1000Base-T PoE Ports • 2*10/100/1000Base-T RJ45 Ports + 1*1000Base-X SFP Port • Forwarding Rate: 16.37Mpps • Switching Capacity: 22Gbps • Watchdog Function
	ONV-H1016PFD Watchdog • 16*10/100Base-TX PoE Ports • 2*10/100/1000Base-T RJ45 Ports + 1*1000Base-X SFP Port • Forwarding Rate: 6.84Mpps • Switching Capacity: 12Gbps • Support 10M/250 Meter Transmission		ONV-H1024PLD Watchdog • 24*10/100Base-TX PoE Ports • 2*10/100/1000Base-T RJ45 Ports • 1*1000Base-X SFP Port • Forwarding Rate: 6.55Mpps • Switching Capacity: 14.8Gbps
	ONV-H3016PF • 16*10/100/1000Base-T PoE Ports • 2*1000Base-X SFP Ports • Forwarding Rate: 26.78Mpps • Switching Capacity: 52Gbps • Automatically Detect and Recognize the Power-receiving		ONV-H3024PF • 24*10/100/1000Base-T PoE Ports • 2*1000Base-X SFP Ports • Forwarding Rate: 26.78Mpps • Switching Capacity: 52Gbps • Automatically Detect and Recognize the Power-receiving
	ONV-H1005S ONV-H3005S • 5*10/100 (1000) Base-TX (T) RJ45 Ports • Forwarding Rate: 0.74Mpps • Switching Capacity: 1Gbps • Support Non-blocking Wire-speed Forwarding		ONV-H1008S ONV-H3008S • 8*10/100 (1000) Base-TX (T) RJ45 Ports • Forwarding Rate: 1.19Mpps • Switching Capacity: 1.6Gbps • Support Non-blocking Wire-speed Forwarding
	ONV-H3005 • 5*10/100/1000Base-T RJ45 Ports • Forwarding Rate: 7.44Mpps • Switching Capacity: 10Gbps • Support Non-blocking Wire-speed Forwarding		ONV-H3008 • 8*10/100/1000Base-T RJ45 Ports • Forwarding Rate: 11.9Mpps • Switching Capacity: 16Gbps • Support Non-blocking Wire-speed Forwarding
	ONV-H3218F • 16*10/100/1000Base-T RJ45 Ports • 2*1000Base-X SFP Ports • Forwarding Rate: 14.88Mpps • Switching Capacity: 20Gbps • Support Non-blocking Wire-speed Forwarding		ONV-H3028FB • 24*10/100/1000Base-T RJ45 Ports • 4*1000Base-X SFP Ports • Forwarding Rate: 41.66Mpps • Switching Capacity: 56Gbps • Support Non-blocking Wire-speed Forwarding

3 YEARS WARRANTY PROJECT SWITCH

- 4kV Lightning Protection, IP30 Rating

Picture	Model Parameter	Picture	Model Parameter
	ONV-POE31004PLD Watchdog • 4*10/100Base-TX PoE Ports • 1*10/100Base-TX RJ45 Port • Forwarding Rate: 0.74Mpps • Switching Capacity: 1.6Gbps • Support 10M/250 Meter Transmission and VLAN Isolation		ONV-POE31004PFD Watchdog • 4*10/100Base-TX PoE Ports • 1*155Base-X SC Port • Forwarding Rate: 0.74Mpps • Switching Capacity: 1.6Gbps • Support 10M/250 Meter Transmission and VLAN Isolation
	ONV-POE31064PL • 4*10/100Base-TX PoE Ports • 2*10/100Base-TX RJ45 Ports • Forwarding Rate: 0.89Mpps • Switching Capacity: 1.6Gbps • Support 10M/250 Meter Transmission and VLAN Isolation		ONV-POE31008PFD Watchdog • 8*10/100Base-TX PoE Ports • 1*155Base-X SC Port • Forwarding Rate: 14.8Mpps • Switching Capacity: 5.36Gbps • Watchdog Function and VLAN Isolation
	ONV-POE31008PLD Watchdog • 8*10/100Base-TX PoE Ports • 1*10/100Base-TX RJ45 Port • Forwarding Rate: 1.34Mpps • Switching Capacity: 2Gbps • Watchdog Function and VLAN Isolation		ONV-POE31108PL • 8*10/100Base-TX PoE Ports • 2*10/100Base-TX RJ45 Ports • Forwarding Rate: 1.49Mpps • Switching Capacity: 2Gbps • Automatically Detect and Recognize the Power-receiving
	ONV-POE31128PF • 8*10/100Base-TX PoE Ports • 2*10/100/1000Base-T RJ45 Ports • 2*1000Base-X SFP Ports • Forwarding Rate: 7.14Mpps • Switching Capacity: 12Gbps		ONV-POE31016PFA • 16*10/100Base-TX PoE Ports • 2*1000Base-X TP/SFP Combo Ports • Forwarding Rate: 14.8Mpps • Switching Capacity: 5.36Gbps • Automatically Detect and Recognize the Power-receiving
	ONV-POE31024PFA • 24*10/100Base-TX PoE Ports • 2*1000Base-X TP/SFP Combo Ports • Forwarding Rate: 6.55Mpps • Switching Capacity: 14.8Gbps • Automatically Detect and Recognize the Power-receiving		ONV-POE31048PF • 48*10/100Base-TX PoE Ports • 1*10/100/1000Base-T RJ45 Port • 2*1000Base-X SFP Ports • Forwarding Rate: 6.55Mpps • Switching Capacity: 20Gbps
	ONV-POE33064P • 4*10/100/1000Base-T PoE Ports • 2*10/100/1000Base-T RJ45 Ports • Forwarding Rate: 8.93Mpps • Switching Capacity: 12Gbps • Automatically Detect and Recognize the Power-receiving		ONV-POE33064PF • 4*10/100/1000Base-T PoE Ports • 2*1000Base-X SFP Ports • Forwarding Rate: 8.93Mpps • Switching Capacity: 12Gbps • Automatically Detect and Recognize the Power-receiving
	ONV-POE33064PFG • 4*10/100/1000Base-T PoE Ports • 1*10/100/1000Base-T RJ45 Port • 1*1000Base-X SFP Port • Forwarding Rate: 8.93Mpps • Switching Capacity: 12Gbps		ONV-POE33007P • 7*10/100/1000Base-T PoE Ports • 1*10/100/1000Base-T RJ45 Port • Forwarding Rate: 11.9Mpps • Switching Capacity: 1.6Gbps • Automatically Detect and Recognize the Power-receiving
	ONV-POE33108P • 8*10/100/1000Base-T PoE Ports • 2*10/100/1000Base-T RJ45 Ports • Forwarding Rate: 14.88Mpps • Switching Capacity: 20Gbps • Automatically Detect and Recognize the Power-receiving		ONV-POE33128PF • 8*10/100/1000Base-T PoE Ports • 2*10/100/1000Base-T RJ45 Ports • 2*1000Base-X SFP Ports • Forwarding Rate: 17.86Mpps • Switching Capacity: 24Gbps
	ONV-POE33016PF • 16*10/100/1000Base-T PoE Ports • 2*1000Base-X SFP Ports • Forwarding Rate: 26.78Mpps • Switching Capacity: 52Gbps • Automatically Detect and Recognize the Power-receiving		ONV-POE33020PF • 16*10/100/1000Base-T PoE Ports • 2*10/100/1000Base-T RJ45 Ports • 2*1000Base-X SFP Ports • Forwarding Rate: 29.76Mpps • Switching Capacity: 52Gbps
	ONV-POE33024PF • 24*10/100/1000Base-T PoE Ports • 2*1000Base-X SFP Ports • Forwarding Rate: 38.69Mpps • Switching Capacity: 52Gbps • Automatically Detect and Recognize the Power-receiving		ONV-POE33028PF • 24*10/100/1000Base-T PoE Ports • 2*10/100/1000Base-T RJ45 Ports • 2*1000Base-X SFP Ports • Forwarding Rate: 41.66Mpps • Switching Capacity: 56Gbps

ECONOMIC MANAGED SWITCH Web

• ONV-NMS Management Cloud Platform

Picture	Model Parameter	Picture	Model Parameter
	Web ONV-H3005SM • 5*10/100/1000Base-T RJ45 Ports • Forwarding Rate: 7.44Mpps • Switching Capacity: 10Gbps		Web ONV-H3008SM • 8*10/100/1000Base-T RJ45 Ports • Forwarding Rate: 11.9Mpps • Switching Capacity: 16Gbps
	Web ONV-H53108FMA/ONV-H53108PFMA • 8*10/100/1000Base-T RJ45 Ports (PoE) • 2*100/1000Base-X SFP Ports • Forwarding Rate: 14.88Mpps • Switching Capacity: 20Gbps		Web ONV-H5064PFMA • 4*10/100/1000Base-T PoE Ports • 2*1000Base-X SFP Ports • Forwarding Rate: 8.93Mpps • Switching Capacity: 12Gbps
	Web ONV-H53028FM • 24*10/100/1000Base-T RJ45 Ports • 4*100/1000Base-X SFP Ports • Forwarding Rate: 35.71Mpps • Switching Capacity: 56Gbps		Web ONV-H53168FMA/ONV-H53168PFMA • 8*10/100/1000Base-T RJ45 Ports (PoE) • 8*100/1000Base-X SFP Ports • Forwarding Rate: 23.81Mpps • Switching Capacity: 56Gbps
	Web ONV-POE53020PFCM • 16*10/100/1000Base-T PoE Ports • 4*100/1000Base-X TP/SFP Combo Ports • Forwarding Rate: 29.76Mpps • Switching Capacity: 56Gbps		Web ONV-POE53028PFCMS • 24*10/100/1000Base-T PoE Ports • 4*100/1000Base-X TP/SFP Combo Ports • Forwarding Rate: 41.66Mpps • Switching Capacity: 56Gbps

FULLY MANAGED COMMERCIAL SWITCH L2+ L3

• NMS Platform & Mobile APP Maintenance-STP/RSTP and ERPS Ring Protection

Picture	Model Parameter	Picture	Model Parameter
	L2+ ONV31108FM/ONV-POE31108PFM • 8*10/100Base-TX RJ45 Ports (PoE) • 2*1000Base-X TP/SFP Combo Ports • Forwarding Rate: 4.17Mpps • Switching Capacity: 14.8Gbps		L2+ ONV31016FM/ONV-POE31016PFM • 16*10/100Base-TX RJ45 Ports (PoE) • 2*1000Base-X TP/SFP Combo Ports • Forwarding Rate: 5.36Mpps • Switching Capacity: 14.8Gbps
	L2+ ONV31024FM/ONV-POE31024PFM • 24*10/100Base-TX RJ45 Ports (PoE) • 2*100/1000Base-X TP/SFP Combo Ports • Forwarding Rate: 6.55Mpps • Switching Capacity: 64Gbps		L2+ ONV33006FMB/ONV-POE33006PFMB • 4*10/100/1000Base-T PoE Ports (PoE) • 2*100/1000Base-X SFP Ports • Forwarding Rate: 8.93Mpps • Switching Capacity: 64Gbps
	L2+ ONV33064FM/ONV-POE33064PFM • 4*10/100/1000Base-T RJ45 Ports (PoE) • 2*100/1000Base-X SFP Ports • Forwarding Rate: 8.93Mpps • Switching Capacity: 16Gbps		L2+ ONV33108FM/ONV-POE33108PFM • 8*10/100/1000Base-T RJ45 Ports (PoE) • 2*100/1000Base-X SFP Ports • Forwarding Rate: 14.88Mpps • Switching Capacity: 24Gbps
	L2+ ONV33010FM/ONV-POE33010PFM • 8*10/100/1000Base-T RJ45 Ports (PoE) • 2*100/1000Base-X SFP Ports • Forwarding Rate: 14.88Mpps • Switching Capacity: 16Gbps		L2+ ONV33148FM/ONV-POE33148PFM • 8*10/100/1000Base-T RJ45 Ports (PoE) • 2*10/100/1000Base-T RJ45 Ports • 4*100/1000Base-X SFP Ports • Forwarding Rate: 20.83Mpps • Switching Capacity: 52Gbps
	L2+ ONV33168FM/ONV-POE33168PFM • 8*10/100/1000Base-T RJ45 Ports (PoE) • 8*100/1000Base-X SFP Ports • Forwarding Rate: 23.81Mpps • Switching Capacity: 52Gbps		L2+ ONV33018FM/ONV-POE33018PFM • 16*10/100/1000Base-T RJ45 Ports (PoE) • 2*100/1000Base-X SFP Ports • Forwarding Rate: 26.78Mpps • Switching Capacity: 52Gbps
	L3 ONV56168FM/ONV-POE56168PFM • 8*10/100/1000Base-T RJ45 Ports • 4*100/1000Base-X SFP Ports + 4*1/10GBase-X SFP+ Ports • Forwarding Rate: 77.38Mpps • Switching Capacity: 128Gbps		L3 ONV-POE56168PFM-4TF • 12*10/100/1000Base-T RJ45 Ports (8 PoE + 4 RJ45 Ports) • 4*1/10GBase-X SFP+ Ports • Forwarding Rate: 77.38Mpps • Switching Capacity: 128Gbps

FULLY MANAGED COMMERCIAL SWITCH L2+ L3

• NMS Platform & Mobile APP Maintenance-STP/RSTP and ERPS Ring Protection

Picture	Model Parameter	Picture	Model Parameter
	L2+ ONV33020FM/ONV-POE33020PFM • 16*10/100/1000Base-T RJ45 Ports (PoE) • 4*100/1000Base-X SFP Ports • Forwarding Rate: 29.76Mpps • Switching Capacity: 192Gbps		L2+ ONV33026FM/ONV-POE33026PFM • 24*10/100/1000Base-T RJ45 Ports (PoE) • 4*100/1000Base-X SFP Ports • Forwarding Rate: 38.69Mpps • Switching Capacity: 256Gbps
	L2+ ONV33028FM/ONV-POE33028PFM • 24*10/100/1000Base-T RJ45 Ports (PoE) • 4*100/1000Base-X SFP Ports • Forwarding Rate: 41.66Mpps • Switching Capacity: 192Gbps		L2+ ONV36028FM/ONV-POE36028PFM • 24*10/100/1000Base-T RJ45 Ports (PoE) • 4*1/10GBase-X SFP+ Ports • Forwarding Rate: 95.23Mpps • Switching Capacity: 176Gbps
	L2+ ONV36036FM/ONV-POE36036PFM • 24*10/100/1000Base-T RJ45 Ports (PoE) • 8*100/1000Base-X SFP Ports + 4*1/10GBase-X SFP+ Ports • Forwarding Rate: 107.14Mpps • Switching Capacity: 176Gbps		L2+ ONV36048FM/ONV-POE36048PFM • 48*10/100/1000Base-T RJ45 Ports (PoE) • 4*1/10GBase-X SFP+ Ports • Forwarding Rate: 130.94Mpps • Switching Capacity: 176Gbps
	L2+ ONV33052FM/ONV-POE33052PFM • 48*10/100/1000Base-T RJ45 Ports (PoE) • 4*100/1000Base-X SFP Ports • Forwarding Rate: 77.38Mpps • Switching Capacity: 368Gbps		L3 ONV38168FM/ONV-POE38168PFM • 12*10/100/1000Base-T RJ45 Ports (PoE) • 4*1/10GBase-X SFP+ Ports • Forwarding Rate: 77.38Mpps • Switching Capacity: 176Gbps
	L3 ONV38448FM • 12*10/100/1000Base-T RJ45 Ports • 28*100/1000Base-X SFP Ports + 4*1/10GBase-X SFP+ Ports • Forwarding Rate: 119.04Mpps • Switching Capacity: 176Gbps		L3 ONV58368FM • 16*100/1000Base-T SFP Ports + 4*1/10GBase-X SFP+ Ports • 8*100/1000Base-X TP/SFP Combo Ports • Forwarding Rate: 95.23Mpps • Switching Capacity: 336Gbps
	L3 ONV38028FM/ONV-POE38028PFM • 24*10/100/1000Base-T RJ45 Ports (PoE) • 4*1/10GBase-X SFP+ Ports • Forwarding Rate: 95.23Mpps • Switching Capacity: 176Gbps		L3 ONV38036FM/ONV-POE38036PFM • 24*10/100/1000Base-T RJ45 Ports (PoE) • 8*100/1000Base-X SFP Ports + 4*1/10GBase-X SFP+ Ports • Forwarding Rate: 107.14Mpps • Switching Capacity: 176Gbps
	L3 ONV58028FM/ONV-POE58028PFM • 24*10/100/1000Base-T RJ45 Ports (PoE) • 4*1/10GBase-X SFP+ Ports • Forwarding Rate: 95.23Mpps • Switching Capacity: 128Gbps		L3 ONV58036FM/ONV-POE58036PFM • 24*10/100/1000Base-T RJ45 Ports (PoE) • 8*100/1000Base-X SFP Ports + 4*1/10GBase-X SFP+ Ports • Forwarding Rate: 95.23Mpps • Switching Capacity: 336Gbps
	L3 ONV58052FM/ONV-POE58052PFM • 24*10/100/1000Base-T RJ45 Ports (PoE) • 2*1/10GBase-X SFP+ Ports • Forwarding Rate: 130.94Mpps • Switching Capacity: 216Gbps		L3 ONV38368FM • 8*10/100/1000Base-T RJ45 Ports • 24*100/1000Base-X SFP Ports + 4*1/10GBase-X SFP+ Ports • Forwarding Rate: 107.14Mpps • Switching Capacity: 176Gbps
	L3 ONV38048FM/ONV-POE38048PFM • 48*10/100/1000Base-T RJ45 Ports (PoE) • 4*1/10GBase-X SFP+ Ports • Forwarding Rate: 130.94Mpps • Switching Capacity: 598Gbps		L3 ONV58008-12TFM Stackable • 8*10/100/1000Base-T RJ45 Ports • 12*1/10GBase-X SFP+ Ports • Forwarding Rate: 190.46Mpps • Switching Capacity: 680Gbps
	L3 ONV58248-6TFM Stackable • 8*10/100/1000Base-T RJ45 Ports • 24*100/1000Base-X SFP Ports + 6*1/10GBase-X SFP+ Ports • Forwarding Rate: 130.94Mpps • Switching Capacity: 598Gbps		L3 ONV58024B-6TFM Stackable • 24*10/100/1000Base-T RJ45 Ports • 6*1/10GBase-X SFP+ Ports • Forwarding Rate: 124.99Mpps • Switching Capacity: 598Gbps
	L3 ONV58048-6TFM Stackable • 48*10/100/1000Base-T RJ45 Ports (PoE) • 6*1/10GBase-X SFP+ Ports • Forwarding Rate: 160.7Mpps • Switching Capacity: 598Gbps		L3 ONV58480-6TFM Stackable • 48*100/1000Base-X SFP Ports • 6*1/10GBase-X SFP+ Ports • Forwarding Rate: 160.7Mpps • Switching Capacity: 598Gbps

COMMERCIAL BT SWITCH Max 90W

• Watchdog Function and Support 10M/250 Meter Transmission

Picture	Model Parameter	Picture	Model Parameter
	ONV-H1108PFD-2BT Watchdog • 8*10/100Base-TX BT PoE Ports • 2*10/100/1000Base-T RJ45 Ports + 1*1000Base-X SFP Port • Forwarding Rate: 5.65Mpps • Switching Capacity: 12Gbps		ONV-H1016PFD-2BT Watchdog • 16*10/100Base-TX BT PoE Ports • 2*100/1000Base-T PoE Ports + 1*1000Base-X SFP Port • Forwarding Rate: 6.84Mpps • Switching Capacity: 12Gbps
	ONV-H1024PFD-2BT Watchdog • 24*10/100Base-TX BT PoE Ports • 2*10/100/1000Base-T RJ45 Ports + 1*1000Base-X SFP Port • Forwarding Rate: 8.04Mpps • Switching Capacity: 12Gbps		ONV-H3064PFD-1BT Watchdog • 4*10/100/1000Base-T BT PoE Ports • 2*10/100/1000Base-T RJ45 Ports + 1*1000Base-X SFP Port • Forwarding Rate: 10.42Mpps • Switching Capacity: 14Gbps
	ONV-H3054PFD-1BT Watchdog • 4*10/100/1000Base-T BT PoE Ports • 1*10/100/1000Base-T RJ45 Port + 1*000Base-X SFP Port • Forwarding Rate: 8.93Mpps • Switching Capacity: 12Gbps		ONV-H3108PFD-2BT Watchdog • 8*10/100/1000Base-T BT PoE Ports • 2*10/100/1000Base-T RJ45 Ports + 1*1000Base-X SFP Port • Forwarding Rate: 16.37Mpps • Switching Capacity: 22Gbps
	ONV-POE33064P-BT • 4*10/100/1000Base-T BT PoE Ports • 2*10/100/1000Base-T RJ45 Ports • Forwarding Rate: 8.93Mpps • Switching Capacity: 12Gbps		ONV-POE33064PF-BT • 4*10/100/1000Base-T BT PoE Ports • 2*1000Base-X SFP Ports • Forwarding Rate: 8.93Mpps • Switching Capacity: 12Gbps
	ONV-POE33064PFG-BT • 4*10/100/1000Base-T BT PoE Ports • 1*10/100/1000Base-T RJ45 Port + 1*1000Base-X SFP Port • Forwarding Rate: 8.93Mpps • Switching Capacity: 12Gbps		ONV-POE33128PF-BT • 8*10/100/1000Base-T BT PoE Ports • 2*10/100/1000Base-T RJ45 Ports + 2*1000Base-X SFP Ports • Forwarding Rate: 17.86Mpps • Switching Capacity: 24Gbps

2.5G COMMERCIAL SWITCH L3

• NMS Platform & Mobile APP Maintenance-STP/RSTP and ERPS Ring Protection

Picture	Model Parameter	Picture	Model Parameter
	ONV57064FB/ONV57064PFB • 4*10/100/1000/2500Base-T RJ45 Ports (PoE) • 2*1/2.5/10GBase-X SFP+ Ports • Forwarding Rate: 44.6Mpps • Switching Capacity: 60Gbps		ONV57008FB/ONV-POE57008PFB • 8*10/100/1000/2500Base-T RJ45 Ports (PoE) • 1*1/2.5/10GBase-X SFP+ Port • Forwarding Rate: 44.64Mpps • Switching Capacity: 60Gbps
	ONV56016F/ONV-POE56016PF • 16*10/100/1000Base-T RJ45 Ports (PoE) • 2*1/10GBase-X SFP Ports • Forwarding Rate: 77.38Mpps • Switching Capacity: 336Gbps		ONV56024F/ONV-POE56024PF • 24*10/100/1000Base-T RJ45 Ports (PoE) • 2*1/10GBase-X SFP Ports • Forwarding Rate: 65.47Mpps • Switching Capacity: 88Gbps
	L3 ONV57064FM/ONV-POE57064PFM • 4*10/100/1000/2500Base-T RJ45 Ports (PoE) • 2*1/10GBase-X SFP+ Ports • Forwarding Rate: 44.64Mpps • Switching Capacity: 160Gbps		L3 ONV57108FM/ONV-POE57108PFM • 8*10/100/1000/2500Base-T RJ45 Ports (PoE) • 2*1/10GBase-X SFP+ Ports • Forwarding Rate: 59.52Mpps • Switching Capacity: 160Gbps
	L3 ONV57128FM/ONV-POE57128PFM • 8*10/100/1000/2500Base-T RJ45 Ports (PoE) • 4*1/10GBase-X SFP+ Ports • Forwarding Rate: 89.28Mpps • Switching Capacity: 240Gbps		L3 ONV57016FM/ONV-POE57016PFM • 16*10/100/1000/2500Base-T RJ45 Ports (PoE) • 2*1/10GBase-X SFP+ Ports • Forwarding Rate: 89.28Mpps • Switching Capacity: 160Gbps
	L3 ONV57024FM/ONV-POE57024PFM • 24*10/100/1000/2500Base-T RJ45 Ports (PoE) • 2*1/10GBase-X SFP+ Ports • Forwarding Rate: 119.04Mpps • Switching Capacity: 160Gbps		L3 ONV57030FM/ONV-POE57030PFM • 24*10/100/1000/2500Base-T RJ45 Ports (PoE) • 4*1/10GBase-X SFP+ Ports + 2*1/10GBase-T RJ45 Ports • Forwarding Rate: 178.56Mpps • Switching Capacity: 240Gbps

ONV®

Optical Network Video Technologies（Shenzhen）Co.,Ltd.

Tel：0086-755-33376606
Email：onv@onv.com.cn
Fax：0086-755-33376608
WeChat：ONV-PoE-IoT
Website 1：www.onvcom.com
Website 2：www.onvswitch.com